

## Everything's Bigger in Texas.

The COSMO Austin reflects the free-wheeling vibe of one of America's most livable cities. Sleek, cool and simple to assemble, the frame features a pleasingly minimalist aesthetic and an expanded feature set for ultimate comfort and convenience: USB ports, underbed light and Bluetooth connection to our app for effortless sleep enhancements. Better yet, with a 900 lbs weight limit, the COSMO Austin is strong enough to do the heavy lifting too – all this while maintaining the avantgarde design that made you fall in love with it in the first place.

### KEY PRODUCT FEATURES

- Single-person assembly in just a few minutes
- Head Up and Foot Up
- Wireless Remote Control
- Child Lock
- Pre-set Flat Button
- 2 pre-defined Memory Positions
- LED Under-bed Light
- USB Ports
- Control via the App
- Emergency Lowering
- Free-fall Design
- Zero clearance
- 900 lbs Weight Limit
- 10-Year Limited Warranty

Available sizes:

Twin XL, Queen, King, Cal King  
(other sizes on request)

### Contact Headquarters

LOGICDATA Electronic & Software Entwicklungs GmbH  
Wirtschaftspark 18, 8530 Deutschlandsberg, [office.at@logicdata.net](mailto:office.at@logicdata.net)


### North America

LOGICDATA North America Inc., 5300 Broadmoor Ave SE,  
Suite D, Grand Rapids, MI 49512, USA, [office.na@logicdata.net](mailto:office.na@logicdata.net)




[www.logicdata.net](http://www.logicdata.net)





COSMO  
Austin



## Technical data

<b>Input voltage</b>	100-240 VAC 3A
<b>Rated input current</b>	2.2 A
<b>Standby power consumption</b>	1.8 W
<b>Ambient conditions (operation)</b>	+5 °C to +40 °C at max. 68% relative air humidity (non-condensing), up to an altitude of 2,000 m
<b>Ambient conditions (transport/storage)</b>	-25 °C to +40 °C at max. 68% relative air humidity (non-condensing). +40 °C to 60 °C at max. 32% relative air humidity (non-condensing). Temperatures of more than 40 °C for periods not exceeding 10h. Product must be acclimatised to acceptable operating conditions before assembly. Contact LOGICDATA for exact specifications.
<b>Max. load (including mattress)*</b>	900 lbs (454 kg)
<b>Wireless working frequency</b>	2,4 GHz
<b>IP Protection (IEC 60529)</b>	IP20
<b>Applicable standards</b>	RoHS 2011/65/EU   FCC CFR 47 Part 15 Subpart B/C   Dodd-Frank Wall Street Reform and Consumer Protection Act
<b>Immunity to ESD interference (EN 61000-6-2)</b>	Conducted discharge: level 4   8kV Air discharge: level 4   15kV

\* Max. Load may vary depending on Input Voltage

### Contact Headquarters


LOGICDATA Electronic & Software Entwicklungs GmbH  
Wirtschaftspark 18, 8530 Deutschlandsberg, [office.at@logicdata.net](mailto:office.at@logicdata.net)

### North America

LOGICDATA North America Inc., 5300 Broadmoor Ave SE,  
Suite D, Grand Rapids, MI 49512, USA, [office.na@logicdata.net](mailto:office.na@logicdata.net)



[www.logicdata.net](http://www.logicdata.net)



COSMO  
Austin

# Weights and Dimensions

BED SIZE	KING
<b>Recommended Mattress Size (l x w)</b>	2032 x 1930.4 mm (80 " x 76 ")
<b>Bed Dimensions (l x w x h***)</b>	2000 x 1885 x 357 mm (78.74 " x 74.21 " x 14.1 ")
<b>Package dimensions (l x w x h)</b>	1930 x 445 x 230 mm (76.00 " x 17.52 " x 9.05 ")
<b>Product Weight</b>	69.6 kg (153.5 lbs)
<b>Package Weight</b>	73.4 kg (161.4 lbs)
<b>Order code</b>	SFS-LIT-KNG-LDS-A

BED SIZE	CALIFORNIA KING
<b>Recommended Mattress Size (l x w)</b>	2134 x 1829 (84 " x 72 ")
<b>Bed Dimensions (l x w x h***)</b>	2100 x 1785 x 357 mm (82.70 " x 70.30 " x 14.1 ")
<b>Package dimensions (l x w x h)</b>	1930 x 445 x 230 mm (76.00 " x 17.52 " x 9.05 ")
<b>Product Weight</b>	68.4 kg (141.1 lbs)
<b>Package Weight</b>	71.4 kg (157.0 lbs)
<b>Order code</b>	SFS-LIT-CAL-LDS-A

BED SIZE	QUEEN
<b>Recommended Mattress Size (l x w)</b>	2032 x 1524 mm (80 " x 60 ")
<b>Bed Dimensions (l x w x h***)</b>	2000 x 1480 x 357 mm (78.74 " x 58.27 " x 14.1 ")
<b>Package dimensions (l x w x h)</b>	1930 x 445 x 230 mm (76.00 " x 17.52 " x 9.05 ")
<b>Product Weight</b>	60.7 kg (133.8 lbs)
<b>Package Weight</b>	64.9 kg (142.8 lbs)
<b>Order code</b>	SFS-LIT-QEN-LDS-A

BED SIZE	TWIN XL
<b>Recommended Mattress Size (l x w)</b>	2032 x 990,6 mm (80 " x 39 ")
<b>Bed Dimensions (l x w x h***)</b>	2000 x 945 x 357 mm (78.74 " x 37.20 " x 14.1 ")
<b>Package dimensions (l x w x h)</b>	1930 x 445 x 190 mm (76.00 " x 17.52 " x 7.48 ")
<b>Product Weight</b>	49.3 kg (108.6 lbs)
<b>Package Weight</b>	53.0 kg (116.6 lbs)
<b>Order code</b>	SFS-LIT-TXL-LDS-A

\*\*\*Height measured from floor to Platform surface (flat position)

## Contact Headquarters

LOGICDATA Electronic & Software Entwicklungs GmbH  
Wirtschaftspark 18, 8530 Deutschlandsberg, [office.at@logicdata.net](mailto:office.at@logicdata.net)

## North America

LOGICDATA North America Inc., 5300 Broadmoor Ave SE,  
Suite D, Grand Rapids, MI 49512, USA, [office.na@logicdata.net](mailto:office.na@logicdata.net)



[www.logicdata.net](http://www.logicdata.net)