
**COSMO
Vienna**

Goodnight, Vienna.

Even when the Viennese sleepwalk, they do it with swagger. The effortless style of the Austrian capital is honored by the COSMO Vienna. The flagship product of the COSMO Line provides distinctive style, poise, and comfort to the collection: an irreplicable elegance that fits perfectly into every day.

All COSMO Vienna models feature nightstand reach – the only compact and shippable adjustable on the market to do so – ensuring exceptional functionality and ultimate convenience. With the expansive Vienna Luxe, users gain even more features, including USB ports, vibration massage, an underbed light and Bluetooth/app connectivity.

KEY PRODUCT FEATURES

- Low-profile frame with the smallest packaging
- Single-person assembly in just a few minutes
- Head Up and Foot Up
- Wireless Remote Control
- Child Lock
- Pre-set Flat Button
- 2 pre-defined Memory Positions
- Emergency Lowering
- Free-fall Design
- Zero clearance
- Nightstand Reach
- 700 lbs Weight Limit
- 10-Year Limited Warranty

Available sizes:
Twin XL, Queen

Contact Headquarters


LOGICDATA Electronic & Software Entwicklungs GmbH
Wirtschaftspark 18, 8530 Deutschlandsberg, office.at@logicdata.net

North America

LOGICDATA North America Inc., 13617 Woodlawn Hills Dr NE,
Cedar Springs, MI 49319, USA, office.na@logicdata.net



www.logicdata.net



Technical data

Input voltage	100-240 VAC 3A
Rated input current	2.2 A
Standby power consumption	1.8 W
Ambient conditions (operation)	+5 °C to +40 °C at max. 68% relative air humidity (non-condensing), up to an altitude of 2,000 m
Ambient conditions (transport/storage)	-25 °C to +40 °C at max. 68% relative air humidity (non-condensing). +40 °C to 60 °C at max. 32% relative air humidity (non-condensing). Temperatures of more than 40 °C for periods not exceeding 10h. Product must be acclimatised to acceptable operating conditions before assembly. Contact LOGICDATA for exact specifications.
Max. load (including mattress)*	700 lbs (318 kg)
Wireless working frequency	2.4 GHz
IP Protection (IEC 60529)	IP20
Applicable standards	RoHS 2011/65/EU FCC CFR 47 Part 15 Subpart B/C Dodd-Frank Wall Street Reform and Consumer Protection Act
Immunity to ESD interference (EN 61000-6-2)	Conducted discharge: level 4 8kV Air discharge: level 4 15kV

* Max. Load may vary depending on Input Voltage

Contact Headquarters

LOGICDATA Electronic & Software Entwicklungs GmbH
Wirtschaftspark 18, 8530 Deutschlandsberg, office.at@logicdata.net

North America

LOGICDATA North America Inc., 13617 Woodlawn Hills Dr NE,
Cedar Springs, MI 49319, USA, office.na@logicdata.net



www.logicdata.net



Weights and Dimensions

BED SIZE	QUEEN
Recommended Mattress Size (l x w)	2032 x 1524 mm (80 " x 60 ")
Bed Dimensions (l x w x h***)	2000 x 1472 x 374 mm (78.7 " x 58.0 " x 14.7 ")
Package dimensions (l x w x h)	1920 x 440 x 190 mm (75.6 " x 17.3 " x 7.5 ")
Product Weight	63.0 kg (139.0 lbs)
Package Weight	68.0 kg (149.0 lbs)
Order code	SFS-VIE-QEN-LDS-A

BED SIZE	TWIN XL
Recommended Mattress Size (l x w)	2032 x 990,6 mm (80 " x 39 ")
Bed Dimensions (l x w x h***)	2000 x 937 x 374 mm (78.7 " x 36.9 " x 14.7 ")
Package dimensions (l x w x h)	1920 x 440 x 190 mm (75.6 " x 17.3 " x 7.5 ")
Product Weight	50.0 kg (110.0 lbs)
Package Weight	55.0 kg (121.0 lbs)
Order code	SFS-VIE-TXL-LDS-A

***Height measured from floor to Platform surface (flat position)

Contact Headquarters

LOGICDATA Electronic & Software Entwicklungs GmbH
Wirtschaftspark 18, 8530 Deutschlandsberg, office.at@logicdata.net

North America

LOGICDATA North America Inc., 13617 Woodlawn Hills Dr NE,
Cedar Springs, MI 49319, USA, office.na@logicdata.net

